

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	46122	(pdp or plasma adj display adj panel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:21
S2	48	(pdp or plasma adj display adj panel) and image\$6 adj data adj correct\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 14:56
S3	22	(pdp or plasma adj display adj panel) and image\$6 adj data adj correct\$6 and electro\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:22
S4	10	(pdp or plasma adj display adj panel) and image\$6 adj data adj correct\$6 and electro\$6 and scan\$6 and sustain\$6 and address\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:23
S5	8	(pdp or plasma adj display adj panel) and image\$6 adj data adj correct\$6 and electro\$6 and scan\$6 and sustain\$6 and address\$6 and arrange\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:23
S6	7	(pdp or plasma adj display adj panel) and image\$6 adj data adj correct\$6 and electro\$6 and scan\$6 and sustain\$6 and address\$6 and arrange\$6 and alternat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:51
S7	4	(pdp or plasma adj display adj panel) and image\$6 adj data adj correct\$6 and electro\$6 and scan\$6 and sustain\$6 and address\$6 and arrange\$6 and alternat\$6 and pair\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:24
S8	1	(pdp or plasma adj display adj panel) and image\$6 adj data adj correct\$6 and electro\$6 and scan\$6 and sustain\$6 and address\$6 and (arrange\$6 and alternat\$6 and pair\$6) and load\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:24
S9	1	(pdp or plasma adj display adj panel) and image\$6 adj data adj correct\$6 and electro\$6 and scan\$6 and sustain\$6 and address\$6 and (arrange\$6 and alternat\$6 and pair\$6) and load\$6 and calculate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:25

EAST Search History

S10	1	(pdp or plasma adj display adj panel) and image\$6 adj data adj correct\$6 and electro\$6 and scan\$6 and sustain\$6 and address\$6 and (arrange\$6 and alternat\$6 and pair\$6) and load\$6 and calculate\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:37
S11	15	(pdp or plasma adj display adj panel) and image\$6 same data same correct\$6 and electro\$6 and scan\$6 and sustain\$6 and address\$6 and (arrange\$6 and alternat\$6 and pair\$6) and load\$6 and calculate\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:03
S12	5	(pdp or plasma adj display adj panel) and image\$6 same data adj correct\$6 and electro\$6 and scan\$6 and sustain\$6 and address\$6 and (arrange\$6 and alternat\$6 and pair\$6) and load\$6 and calculate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:25
S13	2	"6249265".pn. and load\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:30
S14	1	"6249265".pn. and load\$6 and calculat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:31
S15	0	"6249265".pn. and load\$6 and calculat\$6 and power same control\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:31
S16	11	(pdp or plasma adj display adj panel) and image\$6 same data same correct\$6 and electro\$6 and scan\$6 and sustain\$6 and address\$6 and (arrange\$6 and alternat\$6 and pair\$6) and load\$6 and calculate\$6 and power same control\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 13:53
S17	44	display and image\$6 same data same correct\$6 and electro\$6 and scan\$6 and sustain\$6 and address\$6 and (arrange\$6 and alternat\$6 and pair\$6) and load\$6 and calculate\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:04
S18	39	display and image\$6 same data same correct\$6 and electro\$6 and scan\$6 and sustain\$6 and address\$6 and (arrange\$6 and alternat\$6 and pair\$6) and load\$6 and calculate\$6 and power same control\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:05

EAST Search History

S19	21	display and image\$6 same data same correct\$6 and electro\$6 and scan\$6 and sustain\$6 and address\$6 and (arrange\$6 and alternat\$6 same pair\$6) and load\$6 and calculate\$6 and power same control\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:06
S20	3	display and image\$6 same data same correct\$6 and electro\$6 and scan\$6 and sustain\$6 and address\$6 and (arrange\$6 same alternat\$6 same pair\$6) and load\$6 and calculate\$6 and power same control\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:05
S21	22	(pdp or plasma adj display adj panel) and image\$6 same data same correct\$6 and electro\$6 and scan\$6 and sustain\$6 and address\$6 and load\$6 and calculate\$6 and power same control\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 13:53
S22	32	(pdp or plasma adj display adj panel) and image\$6 adj data adj correct\$6 and calculat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 14:57
S23	1	(pdp or plasma adj display adj panel) and image\$6 adj data adj correct\$6 and calculat\$6 same load\$6 same factor\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 14:57
S24	7	(pdp or plasma adj display adj panel) and image\$6 same data same correct\$6 and calculat\$6 same load\$6 same factor\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:01
S25	11	(pdp or plasma adj display adj panel) and image\$6 same correct\$6 and calculat\$6 same load\$6 same factor\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:04
S26	7	(pdp or plasma adj display adj panel) and image\$6 same correct\$6 and calculat\$6 same load\$6 same factor\$6 and subfield\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:05
S27	5	(pdp or plasma adj display adj panel) and image\$6 same correct\$6 and calculat\$6 same load\$6 same factor\$6 and subfield\$6 and memory same table\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:06

EAST Search History

S28	87	(pdp or plasma adj display adj panel) and electroded\$6 and scan\$6 and sustain\$6 and address\$6 and (arrange\$6 and alternat\$6 and pair\$6) and load\$6 and calculate\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:37
S29	1667	(pdp or plasma adj display adj panel) and electroded\$6 and scan\$6 and sustain\$6 and address\$6 and (arrange\$6 and alternat\$6 and pair\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 15:20
S30	125	(pdp or plasma adj display adj panel) and electroded\$6 and address\$6 and (((scan\$6 and sustain\$6) and electroded\$6) same arrange\$6 same alternat\$6 same pair\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:41
S31	81	(pdp or plasma adj display adj panel) and electroded\$6 and address\$6 and (((scan\$6 and sustain\$6) adj electroded\$6) same arrange\$6 same alternat\$6 same pair\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:41
S32	33	(pdp or plasma adj display adj panel) and electroded\$6 adj address\$6 and (((scan\$6 and sustain\$6) adj electroded\$6) same arrange\$6 same alternat\$6 same pair\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 16:08
S33	0	(pdp or plasma adj display adj panel) and electroded\$6 adj address\$6 and (((scan\$6 and sustain\$6) adj electroded\$6) same arrange\$6 same alternat\$6 same pair\$6) and iamge same correct\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:53
S34	2	(pdp or plasma adj display adj panel) and electroded\$6 adj address\$6 and (((scan\$6 and sustain\$6) adj electroded\$6) same arrange\$6 same alternat\$6 same pair\$6) and image same correct\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:54
S35	0	(pdp or plasma adj display adj panel) and electroded\$6 adj address\$6 and (((scan\$6 and sustain\$6) adj electroded\$6) same arrange\$6 same alternat\$6 same pair\$6) and load\$6 same factor\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:55
S36	2	(pdp or plasma adj display adj panel) and electroded\$6 adj address\$6 and (((scan\$6 and sustain\$6) adj electroded\$6) same arrange\$6 same alternat\$6 same pair\$6) and load\$6 and factor\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:55

EAST Search History

S37	11	(pdp or plasma adj display adj panel) and electrodd\$6 adj address\$6 and (((scan\$6 and sustain\$6) adj electrodd\$6) same arrange\$6 same alternat\$6 same pair\$6) and subfield\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 16:34
S38	5	(pdp or plasma adj display adj panel) and electrodd\$6 adj address\$6 and (((scan\$6 and sustain\$6) adj electrodd\$6) same arrange\$6 same alternat\$6 same pair\$6) and subfield\$6 and load\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 16:35
S39	1	"6249265".pn. and load\$6 same factor\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 09:17
S40	3	"6249265".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 09:19
S41	1	"6249265".pn. and load\$6 same factor\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 09:19
S42	3	"6222512".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 09:24
S43	1	"6222512".pn. and load\$6 same factor\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 09:24
S44	0	"20020190925" and sustain\$6 and scan\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 10:09
S45	1	"20020190925" and scan\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 10:10

EAST Search History

S46	0	"20020190925" and sustain\$6 and writ\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 10:10
S47	0	"20020190925" and writ\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 10:10
S48	0	"20020190925" and sustain\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 10:10
S49	1	"20020190925" and discharg\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 10:10
S50	1572	(pdp or plasma adj display adj panel) and electro\$6 and scan\$6 and sustain\$6 and address\$6 and (arrange\$6 and alternat\$6 and pair\$6) and select\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 15:21
S51	67	(pdp or plasma adj display adj panel) and electro\$6 and scan\$6 and sustain\$6 and address\$6 and (arrange\$6 and alternat\$6 and pair\$6) and select\$6 same correct\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 15:22
S53	4	(pdp or plasma adj display adj panel) and electro\$6 and scan\$6 and sustain\$6 and address\$6 and (arrange\$6 and alternat\$6 and pair\$6) and select\$6 same correct\$6 same (table or memory) same automatic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 15:23
S54	4	(pdp or plasma adj display adj panel) and electro\$6 and scan\$6 and sustain\$6 and address\$6 and (arrange\$6 and alternat\$6 and pair\$6) and select\$6 same correct\$6 same (table or memory) same automatic same power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 15:23
S55	4	(pdp or plasma adj display adj panel) and electro\$6 and scan\$6 and sustain\$6 and address\$6 and (arrange\$6 and alternat\$6 and pair\$6) and select\$6 same correct\$6 same (table or memory) same automatic same power same control\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 15:23

EAST Search History

S56	2	"20020190925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 09:36
S57	1	"20020190925" and correct\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:10
S58	2	"20040212559"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 10:28
S59	2	"20030058476"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:11
S60	0	"20020190925" and (asl or average adj signal adj level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:11
S61	0	"20030058476" and load adj factor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:11
S62	18	(pdp or plasma adj display adj panel) and electrodd\$6 and scan\$6 and sustain\$6 and address\$6 and (arrange\$6 and alternat\$6 and pair\$6) and select\$6 same correct\$6 same (table or memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 13:17
S63	1	(pdp or plasma adj display adj panel) and electrodd\$6 and scan\$6 and sustain\$6 and address\$6 and (arrange\$6 and alternat\$6 and pair\$6) and select\$6 same correct\$6 same (table or memory)and load same factor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 13:18
S64	1	(pdp or plasma adj display adj panel) and electrodd\$6 and scan\$6 and sustain\$6 and address\$6 and (arrange\$6 and alternat\$6 and pair\$6) and select\$6 same correct\$6 same (table or memory) and load same factor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 13:18